A recycled environment is a happy environment.



A. 2-Stream Glutton[®] Station

Corrosion resistant recycling receptacle made out of post-consumer recycled content. Meets or exceeds EPA guidelines. Withstands impacts while reducing the risk of scratched floors and carpet snags. Smooth rounded surfaces and coated labels allow for easy cleaning. Visual gueues to minimize waste stream contamination. 3 possible restrictive opening shapes. Color coded symbol and word labels. 46-gallon capacity. 26.8 L x 24 W x 35.3 H. Blue. 🚳 Each

RCP 256T-73 BLU ●

B. Glutton[®] Waste and Recycling Station

Provides a centralized collection solution for consumer waste and recycling sortation needs. 92-gallon combined capacity with segmentation for up to four separate 23-gallon waste containers. Restrictive-opening tops with iconic and word labels guide sortation and minimize contamination. Unifying station lid frame has center hinge for easy emptying without removing entire lid. Kit includes two Glutton® containers, four Slim Jim® containers, one station lid frame, eight restrictive-opening tops (four circles, two slots, one square, one triangle) and one label pack of iconic and word labels in three languages (English, French, Spanish). Corrosion- and impactresistant plastic construction. ADA compliant. Contains recycled material. Meets or exceeds EPA comprehensive guidelines. Blue. Assembled size: 24w x 53d x 351/2h. Shpg. wt. 66.4-lbs. RCP 256R-73 BLU Each

C. Recycle Label Kit

Easily label containers for specific recyclables. Kit includes one set of 11 color-coded symbol labels and three sets of 11 word labels in three languages (English, Spanish and French). **RCP 256S** Kit

D. Individual Recycle Labels

Easily label containers for specific recyclables. White letters. 1h x 8w label.

E. Silhouette Square Recycling Receptacles

Durable, fire safe steel powder coated will not melt or burn. Sleek design creates an upscale look. Handsfree disposal openings for hygiene. Leak-proof, rigid plastic liner included. Factory applied recycling labels. Minimum 30% post-consumer recycled material, helps to earn LEED points and contributes to sustainability. 29-gallon capacity. 18½" Sq. x 32%"H. Silver Metallic.

No.	Description	Each
RCP DCR24CSM ●	Cans	
RCP DCR24PSM ●	Paper	
RCP DCR24TSM ●	Trash	





٤.) ۱

5

NEWSPAPER

ENVIR

CANSBOTTLES

D

Ε

TRASH

NEW

This is how we roll...



A. Brute[®] Caddy Bag

Fits 32- and 44-gallon Brute® Round Containers (sold separately). Includes adjustable buckles and bottom strap. Elasticized pockets hold cleaning supplies (not incl.). Yellow. 20w x 201/2h. RCP 2642 YEL Each

B. Brute[®] 44-Gal Rim Caddy

Leakproof heavy-duty plastic construction. Fits 44-gallon Brute® Round Containers (sold separately). Includes molded straps for easy attachment/ removal of polyliners. Snap-lock feature keeps caddy and cleaning accessories in place even during full bag removal. Yellow. 261/2w x 321/2d x 6¾h. Shpg. wt. 5-lbs. RCP 9W87 YEL Each

C. Brute[®] Tandem Dolly

Customize the dolly with two Brute® containers in mix-and-match sizes; even combine round and square containers. Heavy-duty 8" wheels and four 4" swivel casters. 200-lb. capacity per platform. Innovative center hinge design and fixed wheels help transport uneven loads smoothly. Use with Brute® containers (sold separately). Black. 201/2w x 45d x 8h. Shpg. wt. 19-lbs. RCP 2646 BLA Each

D. Brute® Quiet Dolly

Precision engineering eliminates 88% of dolly noise. Five red nonmarking casters. 250-Ib. capacity. Fits all Brute® Round Containers except 10-gallon size. (Containers sold separately.) Black. 181/4 dia. x 65/h. Shpg. wt. 8-lbs. RCP 2640-43 BLA Each

E. Brute® Dolly

Rugged dolly for mobile applications. 250-lb. maximum load capacity. Fits all Brute® Round Containers except 10-gallon size. (Containers sold separately.) Black. 181/4 dia. x 65/kh. Shpq. wt. 8-lbs. RCP 2640 BLA Each

F. Brute® Square Dolly

Rugged twist on/off dolly for mobile applications. 300-lb. capacity. Fits RCP 3536 container (sold separately). Black. 17¼ sq. x 6¼h. Shpg. wt. 7-lbs. RCP 3530 Each

G. Universal Drum Dolly

Adds mobility to drum containers. 500-lb. capacity. Fits RCP 2655 (sold separately). Plastic, professional-grade construction. Black. 24% dia. x 71/8h. Shpg. wt. 28-lbs. RCP 2650 BLA

Each





G





A. 44-Gallon Brute[®] Utility Container with Venting Channels

Integrated, patent-pending venting channels dramatically reduce the force required to remove a filled can liner. Improved handles provide a fully rounded, comfortable grip. Can liner cinches allow easy, one-step bag retention. Double-ribbed base and reinforced rim for increased strength and stability. Lid sold separately. NSF Certified to Standards #2 (gray and yellow only): "Food Equipment" and #21 "Thermoplastic Refuse Containers." Container size: 24 dia. x 31½h. Shpg. wt. 49.5-lbs.

No.	Color	Each
RCP 2643-60 BLA	Black	
RCP 2643-60 BLU RCP 2643-60 GRA	Blue	
RCP 2643-60 GRA	Gray Yellow	
1101 2043-00 TLL	Tenow	

B. Brute[®] Round Containers and Lids

Seamless, polyethylene construction won't dent, rust or leak. Reinforced rim and base. Yellow, white and gray only are NSF/USDA Approved for food contact and NSF tested/certified.

Color	Container No.	Each	Lid No.	Each
10-Gallon-	—Container size 15%	a dia. x 17½h.		
Gray White	RCP 2610 GRA RCP 2610 WHI		RCP 2609 GRA RCP 2609 WHI	
20-Gallon-	-Container size 191/2	2 dia. x 221/8h.		
Gray White	RCP 2620 GRA RCP 2620 WHI		RCP 2619-60 GRA RCP 2619-60 WHI	
32-Gallon-	-Container size 22 d	lia. x 27¼h.		
	 ♦ RCP 2632 BLU ♦ RCP 2632 YEL 		RCP 2631 GRA RCP 2631 WHI RCP 2631 BLU RCP 2631 YEL RCP 2631 RED	
44-Gallon-	-Container size 24 d	lia. x 31½h.		
Gray White Blue Yellow Red	 ♦ RCP 2643 GRA ♦ RCP 2643 WHI ♦ RCP 2643 BLU ♦ RCP 2643 YEL ♦ RCP 2643 RED 		RCP 2645-60 BLA RCP 2645-60 BLA RCP 2645-60 BLA RCP 2645-60 BLA RCP 2645-60 BLA	
55-Gallon-	-Container size 26½	dia. x 33h.		
Gray	♦RCP 2655 GRA		RCP 2654 GRA	

C. Brute[®] Self-Draining Lid

Run-off channels disperse liquids to prevent pooling. Fits all 44-gallon Brute® containers (sold separately). Black. 24½ dia. x 1½h. RCP 2645-60 BLA **Each**

D. Brute[®] Dome Tops

Converts 32-, 44- and 55-gallon containers (sold separately) into rugged outdoor receptacles. Upscale, textured finish. Gray.

No.	Fits RCP Container	Shpg. Wt.	Each
RCP 2637-88 GRA	2632	12-lbs.	
RCP 2647-88 GRA	2643	12-lbs.	
RCP 2657-88 GRA	2655	15-lbs.	

E. Funnel Top

Guides refuse into container, away from view. Fits 32-gallon RCP 2632 container (sold separately). Light Gray. 22% dia. x 5h. RCP 3543 GRA Each





LANDMARK SERIES[™] CLASSIC CONTAINERS

- ADA Compliant
- Stylish, high-volume refuse containers
- Containers include plastic frame with rigid liner; Aggregate Panels sold separately

Containers and panels sold separately—ORDER BOTH.

A. Dome Top Containers

Ideal for indoor/outdoor use. Rain-hood cover with openings on all four sides. Hinged hood includes a stay-open strap for easy access to rigid liner. 🔀

No.	Color	Shpg. Wt.	Each
35-Gallon —26 sq. x 40h.			
 ♦ RCP 3970 SAB ♦ RCP 3970-01 DRI 	Sable Driftwood*	50-lbs. 52-lbs.	
50-Gallon —26 sq. x 46½h.			
♦RCP 3975 SAB	Sable	56-lbs.	
* With steel ashtray			

B. Aggregate Panels

Four panels per case. 🛠				
No.	Color	Shpg. Wt.	Case	
Fits 35-Gallon (RCP 3970)				
RCP 4003 RIV	River Rock	39-lbs.		
Fits 50-Gallon (RCP 3975)				
RCP 4004 RIV	River Rock	49-lbs.		

ASPEN OUTDOOR RECEPTACLES

- ADA Compliant
- Meets or exceeds EPA and/or LEED guidelines
- Made from 30% recycled steel, 100% recyclable

Vandal-resistant and fire-safe, heavy-gauge galvanized steel with decorative stone panels (panels included). Powder coated finish for durability and years of trouble-free service. Receptacles feature leakproof, removable rigid plastic liners. Manufacturer's limited one-year warranty. Ships fully assembled.

C. 29-Gal. Litter Receptacle

Four 17w x 5h disposal openings. Hinged top swings open to 90° angle for easy maintenance. Leg levelers included. Brown. 21 sq. x 40h. Shpg. wt. 102-lbs.

◆RCP R36HT-201PL ●

Each

D. Extra-Large Sand Urn/24-Gal. Litter Receptacle

Removable 18" sq. steel sand urn top; four 9w x 5h disposal openings. Brown. 18 sq. x 32h. Shpg. wt. 70-lbs. RCP R18SU-201PL • Each

E. Sand Urn/12-Gal. Litter Receptacle

Removable 13½" sq. steel sand urn top; four 9w x 5h disposal openings. Brown. 13½ sq. x 32h. Shpg. wt. 47-lbs. RCP R12SU-201PL • Each

F. Classics Open Top Receptacles

- Minimum 30% recycled steel, 100% recyclable
- ADA Compliant

See page 3 for symbol legend.

Call for current pricing.

• Meets or exceeds EPA and/or LEED guidelines

Perforated design with wide center band for display a custom logo or decal. Durable, heavy-gauge, hot dipped, galvanized steel construction is firesafe. Uni-Koat® powder coated finish offers increased weather resistance. Cable-secured top with drop-in disposal lifts off for easy access to inner liner. Dual retainer bands secure poly bags neatly inside receptacle (bags sold separately). Adjustable, non-marking leg levelers raise receptacle and provide stability. Includes white, leakproof, rigid plastic liner. Black.

No.	Size	Shpg. Wt.	Each
25-gal. Capacity Recep	otacle		
RCP S3ETBKPL	18" dia. x 35½h	46-lbs.	
51-gal. Capacity Receptacle			
RCP S55ETBK	25" dia. x 35½h	70-lbs.	







Product shown with optional decals sold separately on page 341.

F

Metal Containers



A. Silhouette Rectangular Open Top Receptacles

Space-saving rectangular design. Fire-safe steel construction. Piano hinge top facilitates easy emptying. Folding retainer bands neatly secure poly bags. Includes leakproof rigid plastic liner. Stainless steel leg levelers provide stability on uneven surfaces. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. 🚱

No.	Size	Shpg. Wt.	Each
13-gal. Capacity Recept	t acle —12 x 5 drop-in dis	sposal opening.	
RCP SR14EPLSM ●	19½ w x 10d x 30h	38-lbs.	
221/2-gal. Capacity Rece	ptacle—15 x 5 drop-in (disposal opening.	
RCP SR18EPLSM ●	24w x 12½d x 30h	51-lbs.	

B. Silhouette Half Round Open Top Receptacle

Wall-hugging design is ideal where aesthetics and space are important. Fire-safe steel construction. 7" dia. vinyl-trimmed, drop-in disposal opening. Lift-off body facilitates easy emptying. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% postconsumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. 12-gal. capacity. 18w x 9d x 32h. Shpg. wt. 27-lbs. 🔂 RCP SH12EPLSM Each

C. Silhouette Square Open Top Receptacles

Fire-safe steel construction. Piano hinge top facilitates easy emptying. Folding retainer bands neatly secure poly bags. Includes leakproof rigid plastic liner. Stainless steel leg levelers provide stability on uneven surfaces. Powder coated finish for maximum durability. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Silver Metallic. 🖼

No.	Size	Shpg. Wt.	Each
16-gal. Capacity Rece	ptacle—8½" dia. drop-	in disposal opening.	
RCP SC14EPLSM ●	14¾ sq. x 25h	35-lbs.	
29-gal. Capacity Rece	ptacle—8½" dia. drop-	in disposal opening.	
RCP SC18EPLSM ●	18¾ sq. x 30h	46-lbs.	

D. ECLIPSE[™] Fire-Safe Steel Receptacles

Modern rounded design. Durable, heavy-gauge steel construction. Curved top deters accumulation of debris around 91/2 x 111/2 drop-in disposal opening. Includes leakproof rigid plastic liner. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. ADA Compliant. 30-gal. capacity. 20 dia. x 25.5h. Šhpg. wt. 50-lbs. 🔀

No.	Finish	Each
RCP R2030EPLBK ● RCP R2030SSPL ●	Black Powder Coated Satin Stainless Steel	

Fire-Safe Half-Round Container

Durable fire-safe steel construction. Wall-hugging design is perfect where aesthetics and space are important. Large 15 x 5 vinyl-trimmed opening. Lift-off body makes emptying easy. Noncorrosive base ring prevents scratching of floors. Includes leakproof rigid plastic liner. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. 9-gal. capacity. 18w x 9d x 32h. Shpg. wt. 25-lbs. 🔀

No.	Finish	Each
E. RCP SO8-10BPL ● F. RCP SO8SSSPL ●	Black/Brass Stainless Steel Brass	

G. Side Opening Fire-Safe Steel Receptacle

Heavy-gauge steel construction. Large 11w x 5h vinyl-trimmed disposal opening. Lift-off body facilitates easy emptying. Noncorrosive base ring prevents scratching of floors. Includes fire-safe galvanized steel liner. ADA Compliant. Contains a minimum of 30% post-consumer recycled steel. Meets or exceeds EPA and/or LEED guidelines. Satin Stainless Steel. 12-gal. capacity. 15 dia. x 28h. Shpg. wt. 24-lbs. 😭 RCP SO16SSSGL ● Each





Ash/Trash Containers • Ashtray Fill • Mounted Smoking Urns







A. 25-Gallon Plastic Ash/Trash Containers

Ideal for entryways, lobbies, smoking areas. Collects both refuse and smoking debris. Structural web plastic construction gives a contemporary styling and resists dents and scratches. Smooth surface is easy to clean. Aluminum ashtray top removes for ease of maintenance, or can be permanently affixed. Uses Rigid Liner RCP 3552 (sold separately). Beige. 18 dia. x 421/4h. Shpg. wt. 29-lbs. RCP 8182-88 BEI Each

B. Smoking Urn/Trash Receptacle

Floor model with metal ashtray and refuse opening. Fire-safe metal liner. 2 gallon capacity. Black/Chrome. 121/2 dia. x 191/2h. Shpg. wt. 101/2-lbs. RCP 2586 BLA Each

C. Smoking Urn

Floor model with metal ashtray top. Black/Chrome. 111/2 dia. x 191/2h. Shpg. wt. 81/2-lbs. RCP 2585 BLA Each

D. Silica Sand

В

For use in all sand urns. 5-lb. bag. 5 bags per case. RCP B25 Black (Not shown) Case RCP S25 White Case

E. Smokers' Station® Wall Urn

Weather-resistant galvanized steel body with black, textured powder coated finish and stainless steel door for outdoor use. Two disposal openings have stainless steel extinguishing screen and fire-safe galvanized steel inner liner. Keyed cam-lock front opens completely for easy emptying. Two keys and wall mounting hardware included. Minimum 30% recycled steel, 100% recyclable. 10w x 3d x 121/2h. Shpg. wt. 7-lbs. 🖾 RCP R1012EGL Fach

F. Infinity[™] Wall-Mount Outdoor Smoking Receptacle

FM/CSFM Approved. Compact wall-mount design for mounting near facility entrances. 0.6-gal. capacity; holds up to 700 cigarettes. All-metal construction withstands cigarette extinguishing and is UV- and weatherresistant. Unobstructed funnels reduce jamming during cigarette disposal. Large stainless steel snuff plate with 360° access. Easy-to-empty design. Dome top prevents water from collecting in the receptacle. Integrated padlock tabs for security (padlock not incl.). Weighted base with bolt-down option (hardware not incl.). Stainless Steel/Black. 115/w x 115/d x 18h. Shp. wt. 12-lbs. RCP 9W32 BLA

Each



Using a Scraper Mat can save money on cleaning as well as on floor maintenance and repair. Resilient vinyl loops on the mat's surface scrape dirt and moisture off shoes, trapping them in the mat for later removal. Shake, rinse or vacuum out the mat, and the dirt is gone!





Cigarette Receptacles





A. Metropolitan Smokers' Station

FM Approved. Slim, contemporary design for upscale environments. Galvanized steel with stainless steel hinge. Stainless steel snuff plate and disposal openings accessible from both sides of unit. Removable galvanized liner for easy emptying. Uni-Koat™ powder coated finish is UV-stabilized for increased weather resistance. Weighted base for stability. Keyed cam lock and bolt down feature increases security. Black. 16⁴/₅ dia. x 42⁴/₅h. Shpg. wt. 39-lbs. RCP R934-00BK

Each

B. GroundsKeeper[™] Outdoor Cigarette Receptacle

FM Approved. Covered to conceal cigarette butts. Galvanized steel chamber, extinguishes butts quickly. Easy to empty. Weather resistant; will not rust or fade. Beige. 121/2w x 121/2d x 393/4h. Shpg. wt. 15.5-lbs. RCP 2570-88 BEI Each

C. GroundsKeeper™ Outdoor Tuscan **Cigarette Receptacle**

FM Approved. Smooth, injection-molded plastic is rust resistant and easy to clean. Galvanized steel waste collector holds large quantities of butts; empties guickly. Stainless steel snuff plate minimizes smoldering. Moldedin-color polymer body with UV inhibitor and powder coated aluminum cap stand up to years of extreme weather. Heavy steel base plate for stability. Anchor holes for added security. 14w x 14d x 42h. Shpg. wt. 12.6-lbs.

No.	Color	Each
RCP 9W30 BLA	Black	
RCP 9W30 SST	Sandstone	

D. Aladdin Smokers' Station[®]

UL/FM Approved fire-safe/self-extinguishing. Heavy-duty, steel construction. Fluted design smothers smoldering butts. Capped tube has two 11/4" dia. openings that accept smoking debris yet deter other waste. 41/4-gal. steel liner with handle removes for cigarette disposal. Durable UV-stabilized hammertone powder coated finish endures severe weather and prevents burn damage. Chained top prevents theft. Minimum 30% recycled steel, 100% recyclable. Charcoal. 16 dia. x 39h. Shpg. wt. 20-lbs. 🧟 Each RCP R1639EHGR

INFINITY[™] OUTDOOR SMOKING RECEPTACLES

FM Approved. Durable, high-capacity design for attractive and efficient smoking litter management. All-metal construction withstands cigarette extinguishing and is UV- and weather-resistant. Unobstructed funnels reduce jamming during cigarette disposal. Large stainless steel snuff plate with 360° access. Easy-to-empty design for sanitary emptying and cleaning. Dome top prevents water from collecting in the receptacle. Integrated padlock tabs for security (padlock not incl.). Weighted base with bolt-down option (hardware not incl.)

E. Infinity[™] Ultra-High Capacity Smoking Receptacle

Specifically designed for high-traffic areas such as malls, stadiums and corporate office parks. 6.7-gal. capacity; holds up to 8,000 cigarettes. Black. 151/2w x 151/2d x 411/2h. Shpg. wt. 32.5-lbs. RCP 9W34 BLA Each

F. Infinity[™] Traditional Smoking Receptacle

4.1-gal. capacity; holds up to 5,000 cigarettes. 13w x 13d x 39h. Shpg. wt. 23.75-lbs.

No.	Color	Each
RCP 9W33 APE RCP 9W33 BLA	Antique Pewter Black	

G. Infinity[™] Base-Mount Smoking Receptacle

1.3-gal. capacity; holds up to 1,500 cigarettes. Stainless Steel/Black. 151/2w x 151/2d x 395/8h. Shpg. wt. 23.25-lbs. **RCP 9W31** Each

1		~	00,	 onpg.	 -00
l	BL	A			



F