

Housekeeping Carts



A



B



C



D



E



DELUXE METAL HOUSEKEEPING CARTS

Larger capacity carts with ergonomic design. Features ergonomic handles with a 25° bend for easier pushing and steering. Four rotating bumpers help protect walls and furniture from scuffs. Baked-on powder coated finish improves durability and appearance. Four ball-bearing, non-marking 8" locking casters. Optional accessories offer increased customization. Black. ♻️

A. Deluxe High-Security Cart

15.3 cu. ft. capacity in a small footprint. Three shelves for organization, plus locking drawer and hood accessory to hide amenities and deter theft (two keys incl.). Integrated vacuum holder. Includes one mobile fabric bag and one long fabric bag for increased linen storage capacity. Made with 30% post-consumer recycled steel. Additional accessories sold separately. 22w x 55d x 56h. ♻️

RCP 9T64 BLA ● **Each**

B. High-Capacity Cart

9 cu. ft. capacity in a small footprint. Two shelves for organization. Includes one medium fabric bag for linen storage. Made with 30% post-consumer recycled steel. Additional accessories sold separately. 22w x 55d x 44h. ♻️

RCP 9T62 BLA ● **Each**

OPTIONAL ACCESSORIES

Optional accessories can be mixed and matched to meet your needs. Fits both Deluxe High Security Cart (RCP 9T64 BLA) and High-Capacity Cart (RCP 9T62 BLA), unless otherwise noted. Black.

C. Under-Deck Glass Rack Holder—Offers increased storage capacity. 20w x 20d x 8½h.

RCP 6171 BLA **Each**

D. Medium Fabric Bag—Fits High-Capacity Cart only. 17½w x 10d x 26½h.

RCP 6187 BLA **Each**

E. Mobile Fabric Bag—Two casters and metal handle for mobility. 18½w x 11d x 35h.

RCP 6174 BLA **Each**





A. Site Safety Hanging Sign

Durable, bright yellow, bilingual (English/Spanish on one side, English/French on the other). "Closed for Cleaning" imprinted hanging sign features torsion action to secure pole. Pliable construction offers ease of use and storage. Open, 50¼w x 13h; closed, 25w x 13h.

RCP 9S16 YEL **Each**

*No sign is a sign
of no safety.*



B. Pop-Up Safety Cone

Bright yellow safety cone is 21 sq. x 30h, features three-sided multilingual (English/Spanish/French) "Caution" imprint and wet floor symbol. Top of cone offers label space for location assignment. Cone folds compactly for storage in tube, automatically opens for use. ANSI Compliant.

RCP 9S01 YEL **Each**

C. Folding Floor Signs

Bright yellow plastic wet floor warning signs can be read from 30-ft. away. Two-sided 25" signs are ideal for doorways and narrow spaces. Fold flat for storage or transport on carts. Carrying handle. Open, 25" high; closed, 11w x 1½d x 26½h.

No.	Message	Each
RCP 6112 YEL	Caution (Multilingual*)	
RCP 6112-77 YEL	Caution Wet Floor (English)	
RCP 6112-78 YEL	Closed (Multilingual*)	

*English, Spanish and French



D. Safety Cones

Bright yellow, four-sided cones have versatile tops that accommodate a barricade belt, flashing light, lock-in sign holder or audio warning device (accessories not incl.). Imprinted "Caution Wet Floor" in English and Spanish. Stackable; recessed top surface for handling ease.

No.	Base Size	Each
RCP 6276-77 YEL	12¼ sq. x 36h*	
RCP 6277-77 YEL	10½ sq. x 25¾h	

*Has keyhole slots to accommodate barrier chain (not incl.)

E. Over-the-Spill™ Pad

Bright yellow slip-resistant, tear-off pads cover and absorb spills and alert pedestrians. Each pad absorbs up to 12-oz. (0.3-kg) of fluid. Imprinted with "Caution Wet Floor" in English and Spanish. Plastic pad has slot for hanging; also mounts to RCP 6112 Series Folding Floor Signs (sold separately). 16½ x 14. 25 sheets per pad.

RCP 4254 YEL **Pad**

Pad mounts on Folding Floor Sign (sold separately).



F. Mobile Barrier

Bright yellow barrier restricts access for maintenance or isolates safety hazards indoors or outdoors. With 16 articulating panels, flexible unit can be set up straight, curved or in circle. Two 5" nonmarking wheels; four locking straps secure barrier in closed position. ANSI Compliant. Shipped fully assembled. Open unit is 40" high x 13-ft. long x 1" deep (closed 40" x 2-ft. x 13"); weighs 32-lbs.

RCP 9S11 YEL **Each**



Model with keyhole slots shown.

3M

G. 3M™ Petroleum High-Capacity Sorbent Pad

Absorbs petroleum-based liquids while repelling water. Increased fluid-holding capacity means less sorbent used, minimizing sorbent waste for disposal. Low-profile design for use in tight places. Ideal for cleaning up small spills and wiping down contaminated areas. Each case absorbs 37½ gallons. 17 x 19 pad size. 100 pads per case. Shpg. wt. 20-lbs.

MCO HP-156 **Case**



Shown closed.

First Aid Products



A



B



C



D



E



F

Relief is on the way!

IMPACT®

A. 50-Person First Aid Kit

Provides first aid supplies for up to 50 people. Kit includes adhesive bandages, elbow and knee bandages, fabric bandages, latex-free elastic bandage, triangular sling with two pins, conforming gauze roll bandages, trauma and gauze dressing pads, sterile eye packs and eye wash, first aid/burn cream packs, instant cold compress, aspirin tablets, first aid tape roll, plastic tweezers, 4½" scissors, two pairs of vinyl exam gloves and a first aid guide. Plastic carrying case: 10½w x 3d x 11h. 6 kits per case.

IMP 7850

Each

Johnson & Johnson

B. Weatherproof First Aid Kit, For up to 25 People

Virtually indestructible double walled high-density polyethylene shell with built-in handle and mounting tabs is totally weatherproof. Shell design provides "SNAP-IN" internal organization system. Kit contains 160 first aid items. 13½w x 13½d x 4¼h. Shpg. wt. 5-lbs.

JON 8144

Each

C. Nonmedicinal First Aid Kit, For up to 25 People

Steel case with handle and wall hanging brackets. 87 first aid products: elastic bandages, gauze roll, BAND-AID®s, non-stick pads, triangular bandage, tape, eye pads, antiseptic wipes, instant cold pack, scissors, tweezers, gloves and first aid guide. 10½w x 7½d x 2½h. Shpg. wt. 4-lbs.

JON 8161

Each



D. Bloodborne Pathogen Cleanup Kit

Complies with OSHA Standard 29 CFR 1910.1030 for cleaning blood. Heavy-duty plastic case with safety latch and handle; can be wall mounted. Includes one pair disposable vinyl gloves, one pair disposable shoe covers, one disposable apron, two scoop/scrappers, two red biohazard bags with ties, one disposable towel, one pair protective eyewear, one isolation mask, one 3-oz. packet of absorbent powder, two antiseptic wipes, one disposable wipe with HIV-1 tuberculocidal claim, Material Safety Data Sheets and instructions.

GLX 7351

Each



Acme United Corporation

E. First Aid Refill Pack

Contains ten most frequently used products (94 pieces): 1" x 3" adhesive bandages, knuckle bandages, fingertip bandages, sterile gauze, antiseptic wipes, sting relief wipes, ice pack, burn ointment, nonstick pads and tape. Shpg. wt. 4-lbs.

ACE 40001

Each

3M

F. Nexcare™ Active™ Flexible Foam Bandages

Unique flexible foam strip conforms, stretches and bends, even around fingers, knuckles, knees and elbows. Advanced, water-resistant adhesive offers extra sticking power—even on damp skin; seals around pad to keep out dirt and other contaminants. Soft, absorbent nonstick pad. 30, 1 x 3 size bandages per box.

MCO 512-30

Box

Utility Cart • Ladder Carts • Step Stools & Ladders



A



Shown as platform truck.




Folds flat for storage.



B



C



D



E



F



G



H

H. #592 Six-Foot Fiberglass Commercial Stepladder

Channeled nonconductive fiberglass rails for strength and corrosion resistance. Deeply serrated U-channel 3" steps. Angle bracing strengthens and stabilizes top step, bottom step and rear brace. Yellow molded plastic top holds quart paint can and has slots for small hand tools. Pinch-resistant, heavy-gauge outside side locks. ANSI Type II, Commercial, 225-lb. duty rating. 22½w x 43½ spread x 72h. Shpg. wt. 16-lbs.

◆DAV 592-06BX

Each

- All ladders meet or exceed ANSI and OSHA safety codes
- Select ladder of proper duty rating to support combined weight of user and materials
- **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits



HEAVY-DUTY UTILITY CARTS

- Multiple-duty carts for use in warehouses, mailrooms, conference rooms and maintenance facilities
- Heavy-duty plastic won't rust, dent, chip or peel
- Lightweight for easy maneuverability and quiet operation
- Rounded corners mean no sharp edges to nick walls or furniture

A. Convertible Utility Cart

- Multifunction cart converts from a utility cart to a platform truck in just seconds

Simple push-buttons and foot pedal for easy conversion. 400-lb. capacity (utility cart); 250-lb. capacity (platform truck). Recessed top shelf folds down to create back of platform truck. Platform truck configuration features 24 x 36 usable platform. Molded-in ergonomic handle for comfort. Non-marking swivel casters (two locking). Black/Red. 23½w x 45½d. 34½" high (utility cart); 43½" high (platform truck); collapses to just 10½" high for efficient storage.

RCP 4300 BLA

Each

LADDER CARTS

Three-section cart adapts to worksite requirements. Centrally located, stepped-down ladder platform carries up to 6-ft. ladder without hitting walls, doorways or elevators. Unique vertical profile offers higher worksurface height for improved ergonomics. Can be assembled for transporting long items. Square footprint offers optimal maneuverability. Shelves feature molded-in tool and pipe holders. Molded-in handles. Powder coated steel and structural foam construction. 5" casters (two locking). 500-lb. capacity. Black/Red.

B. Ladder Cart with Open Ends

Seven shelves, plus ladder platform and organizer tray for increased storage capacity. 27w x 31½l x 42h. Shpg. wt. 69-lbs.

RCP 9T57 BLA

Each

C. Ladder Cart with Cabinet

Lockable storage for safety and security (lock not incl.). Three shelves on one end, storage cabinet on the other. Also features ladder platform and organizer tray. 27w x 31½l x 42h. Shpg. wt. 99-lbs.

RCP 9T58 BLA

Each

D. Folding Two-Step Step Stool

Sets up quickly; folds down to slim depth for storage in tight spaces and convenient transport. Slip-resistant surfaces on steps and foot pads. Rust- and dent-resistant reinforced polypropylene cleans easily. Skid-resistant feet. Supports 300-lbs. Cylinder color. Open: 18½w x 21d x 22½h. Folded: 18½w x 5½d x 25h. Shpg. wt. 6.93-lbs.

RCP 4209 CYL

Each

E. Mobile Two-Step Step Stool

Push stool into position, step on it, and casters instantly retract. Antiskid bottom holds firmly. Textured step surface. Supports 350-lbs. Plastic. 16 dia. (at base) x 13h. Shpg. wt. 7-lbs.

No.

Color

Each

RCP 2523 BLA

Black

RCP 2523 BEI

Beige



F. #624 Folding Fiberglass Three-Step Step Stool

For electricians, light institutional and frequent household use. Nonconductive green fiberglass rails with yellow aluminum top cap. 3" serrated steps, slip-resistant foot caps. Pinch-resistant side locks. ANSI Type II, Commercial, 225-lb. duty rating. UL Compliant. 17w x 22 spread x 24h. Shpg. wt. 7-lbs.

DAV 624-02BX

Each

G. #566 Aluminum Euro Platform Ladder

For household use. Locking platform provides large standing area. Top rail for safety and convenience. Deeply serrated extruded aluminum steps for security. Slip-resistant foot caps. ANSI Type III, Household, 200-lb. duty rating. 18½w x 31 spread x 72h. Shpg. wt. 9-lbs.

DAV L2346-03BX

Each

ADA Signs • Hand Dryer



UST 4725



UST 4811



UST 4812



UST 4813



UST 4726



UST 4814



UST 4815



UST 4816



UST 4817

A



B



C



A. ADA Signs

- Meets Americans with Disabilities Act (ADA) Requirements

International symbols and raised tactile graphics with grade two braille. Molded plastic radius design. Includes instructions and double-sided adhesive tape for easy mounting. 6w x 9h.

No.	Description	Each
UST 4725	Accessible	
UST 4811	Restroom	
UST 4812	Restroom 2	
UST 4813	No Smoking	
UST 4726	Employees Must Wash Hands	
UST 4814	Women HC	
UST 4815	Men HC	
UST 4816	Women	
UST 4817	Men	



B. Cub™ Automatic Hand Dryer

Infrared sensor for “no-touch” operation. Surface mount. Not recommended for vandal-prone environments. One-piece cover constructed of fire-retardant, high-impact plastic. 115V, 13 amp, 1,500 watts, 50/60Hz. UL/cUL Listed. 9^{5/8}w x 5^{7/16}d x 11^{1/8}h. Manufacturer’s one-year limited warranty.

BOB 705	Each
---------	------

C. Eclipse™ Automatic Hand Dryer

Electronic sensor for “no-touch” operation. Surface mount. Contemporary styling; vandal-resistant. Steel with white enamel finish. 115V, 20 amp, 2,300 watts, 50/60Hz. UL/cUL Listed. 15^{3/32}w x 7^{17/32}d x 8^{7/8}h. Manufacturer’s ten-year limited warranty.


BOB 740	Each
---------	------

The EPA can help you find places to recycle electronic equipment.

Remember—the computers, monitors and cell phones that may be out of date for your state-of-the-art office building can give others opportunities they might not otherwise have.

Take the time to look up these resources online at www.epa.gov. In fact, the EPA’s website is a great source of green information if you have questions about how to properly dispose of many dangerous materials. You will also find many helpful free programs, publications, pdfs and podcasts.

<http://www.fscus.org/>



Shed a little light on the situation.



- Quality from the worldwide industry leader

A. Incandescent Light Bulbs

General purpose, soft white. 4 light bulbs per pack; 12 packs per case.

No.	Watts	Description	Case
GNL 41028	60	60A19/SW	
GNL 41032	75	75A19/SW	
GNL 41036	100	100A19/SW	

B. Incandescent Indoor Floodlight, Reflector

65 watts, 120 volts, #65RFLMI. One bulb per package.

GNL 20331			Each
-----------	--	--	------

Fluorescent Tubes

No.	Watts	Description	Qty./Unit	Unit
C. 18" Tube				
GNL 10143	15	F15T8CW	6/Pack	
D. 24" Tube, Cool White				
GNL 80046	20	F20T12CW	6/Pack	
E. 48" Tube, Cool White Energy Saver, Low Mercury —For commercial use only.				
GNL 21858	34	F40T12CW/ES	6/Pack	
F. 24" U-Shaped Tube				
GNL 12203	40	F40CW/U/6	12/Case	

SLI LIGHTING

Fluorescent Tubes

- Manufacturer's warranty against early failure
- Manufactured to last longer. 30 tubes per carton.

No.	Watts	Description	Carton
G. 48" Tube, Cool White Energy Saver, Low Mercury —For commercial use only.			
SUP 30531	34	F34T12CW/ES	
H. 48" Tube, Cool White Deluxe —Works in both commercial and home style fixtures.*			
SUP 30563	40	F40T12CX	

*Home style fixtures can overheat and pose a fire hazard if wrong tube is used

Note: All bulbs listed conform to, or are exempt from, the most recent Federal Epect Legislation.



I. Bulb Changer Kit

The easy way to change most hard-to-reach bulbs. Contains everything you need to change bulbs safely and quickly from the ground. Pack includes FloodSucker Bulb Changer, StickyFingers bulb changer and 11-ft. telescopic extension pole.

UNG BCK03	Each
-----------	------

J. FloodSucker

Fully insulated bulb changer for use on floodlights and bulbs 300 watts and larger. Use with Unger® extension pole (sold separately).

UNG FS00	Each
----------	------



A

B



C

D

E

F

G

H



I



J

Whatever the need, results that stick!



A. Box Sealing Tape Dispenser

For one-hand dispensing. Apply tape end, roll across carton, tilt and cut. Adjustable tension brake. For 2" wide, 3" core box sealing tapes up to 110 yds. long. Metal and plastic construction.

UVS 88000 **Each**

B. Box Sealing Tapes

100% polypropylene film with hot-melt adhesive. Flexible, waterproof, slit-, burst- and stretch-resistant. UPS and Parcel Post Approved.

General-Purpose Tape—Good holding power, economical. For sealing cartons to 25-lbs. 1.85 mils thick, 28-lb. tensile (bursting) strength. All rolls are 2" wide (48mm), with a 3" core. 6 rolls per pack.

No.	Color	Length	Pack
UVS 63000	Clear	55 yds. (50m)	
UVS 63001	Tan	55 yds. (50m)	
UVS 63500	Clear	109 yds. (100m)	

Heavy-Duty Tape—Extra holding power for sealing cartons to 50-lbs. 3.0 mils thick, 35-lb. tensile (bursting) strength. 2" x 55 yds. (48mm x 50m). 3" core. Clear. 6 rolls per pack.

UVS 93001 **Pack**

Scotch

PACKAGING TAPES

Resistant to splits, bursts, moisture. Meets U.S. postal regulations. Use clear for protecting address labels, too.

C. Scotch® Commercial Performance Tape in Refillable Dispenser

Strong and thick. Premium, heavy-duty, 3.1 mils thick. 3" core. Clear. 48mm x 50m.

MCO 3750RDCR **Each**

D. Scotch® Commercial Performance Tape

Strong and thick. Premium, heavy-duty, 3.1 mils thick, 3" core. 48mm x 50m.

No.	Color	Roll
MCO 3750260CR	Clear	
MCO 3750260TN	Tan	



E. Self-Adhesive Packing List Envelopes

Permanent adhesive—no lost documents. Printed PACKING LIST ENCLOSED. Bright orange background and printing conceal enclosure for added security. Separate address label required. 5½ x 4½.

No.	Qty./Unit	Unit
QPK 46895	100/Box	
QPK 46897	1,000/Carton	



Easy one-hand dispensing.

A



B




C



D

E



Reuse packing materials. Bubble wrap, foam pellets and foam wrap can easily be used again for packing. Provide a bin for these materials in your shipping areas.

It's always good to be the sharpest tool in the shed!



SCRAPERS

Carbon steel blade is heat-treated for maximum strength. Clear, corrosion-resistant, polished coating protects blade. Comfortable contoured handle.

A. Scraper with 3" Wide Blade

RCP 9H15 **Each**

B. Scraper with 1.5" Wide Blade

RCP 9H16 **Each**



C. Putty Knife

Plastic handle. Stiff 1¼" wide blade.

GRE 15PKS **Each**



UTILITY KNIVES & BLADES

Bi-metal Irwin blades stay sharp three times longer than ordinary blades and are unbreakable under normal working conditions. Smooth, durable, three-position slide exposes variable blade lengths and stands up to frequent use. Optimized cutting angle for reduced hand fatigue. Push-button offers easy access to interior blade storage—holds up to five replacement blades.

D. Standard Retractable Utility Knife

RCP 9H05 **Each**

E. Blade Dispenser with Refills

Blue plastic dispenser features slide-out side dispensing. Wall-mountable with screws (not incl.). Irwin blades stay sharp three times longer than ordinary blades and are unbreakable under normal working conditions. Includes dispenser and 50 blades.

RCP 2084300 **Each**

BOSTITCH

F. Quick Change Utility Knife

Fully retractable blade for safety. Built-in twine cutter. Includes one blade. 6 knives per box.

BST 10-499 **Box**



G. Klever Cutter™

Disposable safety cutter prevents costly injuries and damage to products. Patented design features a recessed blade that virtually eliminates injuries. Prevents damage to carton contents by allowing only a minimal portion of the blade to penetrate the carton surface. Dual stainless steel blade lasts twice as long as typical single-blade cutters. Eliminates the need to change blades. Ergonomic contour design with molded ridges fits perfectly in any hand and ensures a secure grip. NSF Listed and dishwasher safe. High-density plastic with stainless steel blade. Red color provides visibility in cluttered environments. 3 cutters per pack.


SAN KK403 **Pack**



H. Jiffi-Cutter

The economical choice for light-duty cutting jobs. Fully retractable blade for safety. Each cutter includes one blade. 12 cutters per box.

CSO 091460 **Box**



BOSTITCH

I. Powerlock® II Power Return Rule

With blade lock. Blade remains rigid up to seven feet. Chrome case, belt clip. 1" wide x 25-ft.


BST 33-425 **Each**



A




B



C

Orderly tool storage and improved access increase productivity.



D



E



F



G



A. 16-Piece Light-Duty Office Tool Kit

Includes a 16" metal box with hammer, two screwdrivers (Phillips head and standard), slip joint pliers, adjustable wrench, 10-ft. rule, retractable utility knife, razor scraper and seven-piece hex key set. Manufacturer's lifetime warranty.

GRE CTB9	Each
----------	------



B. Industrial 26" Tool Box

Sturdy polypropylene structural foam construction won't rust, dent or peel. Removable tray for added compartmentalized storage. Metal tool box latches open and close easily, even with a gloved hand. Recessed contoured handle for convenient stacking. Can be padlocked for security (lock not incl.). Black.

RCP 7802 BLA	Each
--------------	------

C. Closet Organizer/Tool Holders

S-hooks hold items 5/8" to 1 1/4" diameter. Deep double hooks for accessibility. Clip holder for work notes and instructions. Carry sling stores and transports hoses and extension cords. Wall mount. Gray.

34" Length—Three S-hooks, two double hooks, clip holder. Carry sling fits on double hook.	RCP 1993 GRA	Each
---	--------------	------

18" Length—Two S-hooks, one double hook.

RCP 1992 GRA	Each
--------------	------



Quality Tools for Smart Cleaning

D. Hold Up Aluminum Tool Rack

Open top design allows tools to hang at various heights. Rubber fingers firmly grasp different size handles. Front hooks hold more tools. Wall mount.

No.	Length	Each
UNG HU45	18"	
UNG HU90	36"	

E. NiftyNabber®

Gear driven claws grab litter, cans and debris; overmolded "fingers" provide excellent gripping power—pick up cigarette butts and small objects with ease.

No.	Size	Each
UNG NN40	18"	
UNG NN90	36"	
UNG NN14	51"	

F. NiftyNabber® Trigger Grip

Ergonomic designed grip with trigger-pull action for increased comfort and efficiency. Good for above waist and picking up from ground. Head rotates 360° and can be locked in position every 90°. Rubber claws with magnetic tips grab and hold even the smallest items, or open up to 5" to grab larger diameter items. Lightweight, rust-resistant aluminum construction.

UNG NT080	Each
-----------	------

G. People's Paper Picker Pin

Durable, lightweight steel body with replaceable pin plug. Ideal for picking up paper, debris and cans without bending. 42" long.

No.	Description	Each
UNG PPPP	Paper Picker Pin	
UNG PINP	Replacement Pin Plug	