

Racks & Carts



ProSave™ Carts & Racks

Maximize your storage capacity. ProSave™ Cart and Mobile Rack shelves have safety positioning locators to securely store and transport bins. Ensure proper cart or rack loading by placing bins on bottom shelf first, meeting UL tip and threshold standards for safe transport of Safety Storage Bins throughout the flow of food transport. Four 5" non-marking casters. Chrome.

A. ProSave™ Cart for Shelf Ingredient Bins

Two shelves, each shelf holds four 40 cup bins (RCP 9G60), two 100 cup bins (RCP 9G57 WHI), or one 200 cup bin (RCP 9G58 WHI)—all bins sold separately. 26w x 18d x 47¼h.

RCP 9G59	Each
----------	-------------

B. ProSave™ Mobile Rack 38" wide for Shelf Ingredient Bins

Three shelves, each shelf holds six 40 cup bins (RCP 9G60), three 100 cup bins (RCP 9G57 WHI), or one 200 cup bin (RCP 9G58 WHI)—all bins sold separately. 38w x 14d x 48.3h.

RCP 9G79 CHR	Each
--------------	-------------

C. ProSave™ Mobile Rack 50" wide for Shelf Ingredient Bins

Four shelves, each shelf holds eight 40 cup bins (RCP 9G60), four 100 cup bins (RCP 9G57 WHI), or two 200 cup bins (RCP 9G58 WHI)—all bins sold separately. 50w x 18d x 67.2h.

RCP 9G80 CHR	Each
--------------	-------------

D. ProSave™ Wall Mounted Rack for Shelf Ingredient Bins

One shelf holds one 40 cup bin RCP 9G60 (sold separately). 10.6w x 10.5d x 7.1h. Chrome.

RCP 9G81 CHR	Each
--------------	-------------

E. Dunnage Racks

Perfect for storing frozen, cold, or dry goods inventory off of the floor. 12" high deck meets flood safety guidelines; NSF Approved. Slotted deck allows maximum air circulation for sensitive items. Heavy-duty aluminum frame will not corrode. Freezer-safe; withstands temperatures from -20° to 120°F. Duramold™ precision engineered resin and metal composite structure for unsurpassed durability and service life. Molded-in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Conveniently stack to save space when not in use. Black.

No.	W x L x H	Load Capacity	Each
RCP 4489 BLA	24" x 36" x 12"	1,500-lbs	
RCP 4490 BLA	24" x 48" x 12"	2,000-lbs.	
RCP 4491 BLA	30" x 60" x 12"	2,000-lbs	

F. ProSave™ Sliding Lid with Scoop

Rotating clear sliding lid with integrated scoop storage, fits BRUTE® containers RCP 2610, RCP 2620 and RCP 2632 (sold separately). The lid allows for one-handed access and quick identification of ingredients. The sliding lid's patent-pending design enhances efficient food production and improves safety compliance. Optional dolly for the 20 and 32-gallon containers is sold separately. White. 17w x 17d x 4.75h.

No.	Description	Each
Sliding Lid with 2-Cup Scoop		
RCP 9G76 WHI	Fits 10-gal. container RCP 2610	
Sliding Lid with 3-Cup Scoop		
RCP 9G77 WHI	Fits 20-gal. container RCP 2620	
Sliding Lid with 4-Cup Scoop		
RCP 9G78 WHI	Fits 32-gal. container RCP 2632	



See page 344 for Brute® Round Containers

Seamless polyethylene construction won't dent, rust or leak. Reinforced rim and base. Yellow, white and gray only are NSF/USDA Approved for food contact and NSF tested/certified.

Cold Food Pans



- See-through, durable plastic food pans are break resistant—won't rust, dent or bend. Quieter than metal

Lightweight, dishwasher- and microwave-safe pans with nonstick surfaces for easy food release and cleaning. Steep walls hold more, minimizing refills and overfills. Quart and liter measurement markings show content level. Time coding detail for marking the time when food is set out. Pans nest for compact storage. Covers have deep molded handles with secure finger grips and Mark-It-Fresh™ windows for date coding and labeling contents. NSF Certified. Made of FDA Compliant materials.


COLD FOOD PANS & COVERS

For food storage and prep, deli display and cold bars. Temperature range: -40°F/-40°C to 212°F/100°C. Clear polycarbonate resin. Covers sold separately.

No.	Height	Capacity	Each
A. 1/6 Size —6 ¹ / ₈ x 6 ¹ / ₈ .			
RCP 105P CLE	4"	1 ¹ / ₃ -qt.	
RCP 106P CLE	6"	2 ¹ / ₂ -qt.	
B. 1/3 Size —6 ¹ / ₈ x 12 ¹ / ₁₆ .			
RCP 117P CLE	4"	4-qt.	
RCP 118P CLE	6"	5 ¹ / ₂ -qt.	
C. 1/2 Size —10 ³ / ₈ x 12 ¹ / ₁₆ .			
RCP 124P CLE	4"	6 ¹ / ₈ -qt.	
RCP 125P CLE	6"	9 ¹ / ₈ -qt.	
D. Full Size —12 ¹ / ₁₆ x 20 ¹ / ₁₆ .			
RCP 132P CLE	6"	20 ¹ / ₈ -qt.	

Covers—For cold food pans (sold separately). Clear.

No.	Fits RCP	Each
RCP 108P-23 CLE	105P, 106P	
RCP 121P-23 CLE	117P, 118P	
RCP 128P-23 CLE	124P, 125P	
RCP 134P CLE	132P	



Maximize the use of natural lighting. It reduces energy costs and studies have shown it has a positive impact on productivity and well-being.

<http://www.ciwmb.ca.gov/GREENBUILDING/Basics.htm>





A



B



C



D



E



F



G



A. Condiment Dispenser

Convenient, hygienic storage for condiments, garnishes and more. Textured, see-through lid made of durable polycarbonate features convenient finger tab for opening ease. Commercial dishwasher safe. Six one-pint inserts. Black. 19 $\frac{1}{2}$ w x 6 $\frac{1}{4}$ d x 3 $\frac{3}{4}$ h.

RCP 2890 BLA **Each**

B. Cutlery Bin

Four-compartment bin is ideal for storage or dispensing of cutlery and condiment packets. Ribbed design and special resin material provide strength. Comfortable handles. Gray. NSF Certified. 11 $\frac{1}{2}$ w x 21 $\frac{1}{4}$ d x 3 $\frac{3}{4}$ h.

RCP 3362 GRA **Each**

Bus/Utility Boxes

Economical storage for heavy loads. Reinforced handles, bottom and ribs for long life. Rounded corners for easy cleaning; dishwasher safe. NSF Certified Std. #2.

C. 4 $\frac{1}{2}$ -Gallon

Gray. 20w x 15d x 5h.

RCP 3349 GRA **Each**

7 $\frac{1}{2}$ -Gallon—(Not shown.) Gray. 21 $\frac{1}{2}$ w x 17 $\frac{1}{8}$ d x 7h.

RCP 3351 GRA **Each**

D. 7-Gallon Divided

Two compartments. Brown. 21 $\frac{1}{2}$ w x 17 $\frac{1}{8}$ d x 7h.

RCP 3350 BRO **Each**



E. Ice Chest

Keeps beverages and perishables cold for hours. White lid for best sun reflection. Includes vented food tray. 48 quart chest holds 72, 12-oz. beverage cans. Self-draining plug and two folding handles. Blue.

RHP 2A15 MODBL **Each**

Insulated Beverage Dispensers

Keeps water or cold beverages cold for hours. Crack-resistant polyethylene for long life. Screw-top lid for a tight seal. Recessed, dripless spigot and comfortable carry handles.

F. 5-Gallon Water Cooler

Orange. 12 $\frac{1}{2}$ dia. x 19h.

RHP 1685 ORG **Each**

10-Gallon Water Cooler—(Not shown.) Orange. 16 dia. x 20 $\frac{3}{4}$ h.

RHP 1610 ORG **Each**



G. PROSERVE® Pizza Delivery Bag

Ideal for food delivery professionals. Four layers of insulation keep food hot for up to four hours. Easy time temperature monitoring and labeling with large identification window secured to carrier. Holds four 16" or three 18" pizzas. Constructed of durable, commercial-grade nylon with non-woven polyester insulation, expanded polypropylene interior insulation and reflective vapor barrier to evenly maintain temperature. Hook and loop closure; hanging loop for storage. Red. 19 $\frac{3}{4}$ w x 21 $\frac{1}{2}$ d x 7 $\frac{3}{4}$ h.

RCP 9F37 RED **Each**

Digital • Mechanical



A



B



C



D



E

pelouze
®

- Stainless steel construction
- NSF Certified

Scales

A. All-Purpose Mechanical Receiving Scale

Memory Lock™ holds weight reading when display is covered by an oversize package. Shatterproof lens. Measures in 1-lb. increments. 250-lb. capacity. 13¼ x 10½ platform. 2 scales per case.

PEL P250S	Each
-----------	------

B. Heavy-Duty Digital Dual Capacity Receiving Scales

Detachable LCD display on 9-ft. cord allows viewing at eye level. Tare feature removes the weight of the container. Auto-off and low-battery warning. Strong, durable reinforced steel design handles heavy packages and containers. Nonskid platform. Includes AC adapter; optional 9V battery operation (battery not included). 12½w x 12d x 2¼h. 2 scales per case.

No.	Capacity	Measurement	Each
PEL 4010-88	150-lbs.	0.2-lb./0.1kg increments	
PEL 4040-88	400-lbs.	0.5-lb./0.2kg increments	

C. Mechanical Portion Control Scales

Great for food processing use. Rotating dial for easy tare. Alignment notch for precise and quick zero reset. Stainless steel construction will not rust. Dishwasher-safe housing and platform remove easily without tools. NSF certified. Measures in ¼-oz. increments. 32-oz. capacity. 7¾w x 5½d x 8½h. 6 scales per case.

Mechanical Scale

PEL 632SRW	Each
------------	------

Mechanical Scale with QuickStop™

Time-saving QuickStop™ feature makes needle stop quickly.

PEL 632SRWQ	Each
-------------	------

D. Mechanical Scale

Rotating dial to tare out container. Platform can be used as handle. Measures in ¼-oz. increments. 32-oz. capacity. 6 x 4¾ platform. 6 scales per case.

PEL Y32R	Each
----------	------

E. Shockproof Digital Portion Scale

Can be used for weighing produce, fish, meat and other ingredients. LCD digital display with hold mode. Removable platform for easy cleaning. Auto shut-off preserves battery power. Use AC adapter or 9V battery (not incl.). Measures in 0.1-oz./1g. increments. 2-lb./1,000g. capacity. 7 x 7¾ platform. 3 scales per case.

PEL FS2P88	Each
------------	------